



Postal·Logistics·Technology

Welltec brings you Parcel Kiosk & mail automation solutions of tomorrow

World No.1 Desktop Pressure Sealer House

World No.1 Desktop Pressure Sealer House

Established in 1999, Welltec developed office pressure sealers from copier and printer finisher development experience. Pressure Sealer is the best solution known as a single sheet mailer to produce pay-slip, pay-check, tax bill, invoice, notice, ticket, reminder, DM and many more in mails. It has contributed to our customers' communication efficiency by reducing time and cost for mailing. We offers world-class pressure sealers with various speed and stable technology through the global dealer network in over 40 countries to enjoy majority of market share especially in Asia and Europe.

Today, Welltec strive for the vision to be a Global Logistics Solution Provider and launched Shipping Station "Bedal" for postal and parcel sending. "Bedal" ensures package dimension and weight is accurately captured and presented to ERP*, WMS*, TMS* or multi-carrier price comparison platform. Series of Bedal is offered to carrier's service counters, building lobbies, PUDO(Pick Up Drop Off) shops and unmanned Kiosk Points for easy sending parcels. We also launched Total Service Station "Ray" automated for both of sending mails and parcels and also receiving parcels.

Welltec continues to develop new opportunities with new technology in postal and parcel industry to keep our distributors and customers to stay in advance of the competition in the market.

*ERP(Enterprise Resource Planning) *WMS(Warehouse Management System) *TMS(Transportation Management System)

| Business Fields |



Standalone - Light Volume

SecureFold 2030s

OM2D

Office-friendly economic solution for
Low volume users

- High sealing quality and low noise level
- Easy maintenance structure
- Detachable cassette folding & sealing
- Patented paddle for angle feeding
- Manual feeding available
- Counter

Speed	3,000 sheets/hour
Form Size / Option*	A4, Letter, Legal*
Tray Capacity	100 sheets
Fold Type	Z, C, V
Dimension	32cm × 39cm × 28cm
Net Weight	22kg



SecureFold 2055s

OM4D

Office-friendly convenient solution for
Low-mid volume users

- High sealing quality and low noise level
- Easy maintenance structure
- Detachable cassette folding & sealing
- Patented paddle for angle feeding
- Manual feeding available
- Batch/Total/Counter, Auto start
- Light sensor double detection

Speed	5,500 sheets/hour
Form Size / Option*	A4, Letter, Legal*
Tray Capacity	150 sheets
Fold Type	Z, C, V
Dimension	32cm × 39cm × 28cm
Net Weight	22kg



Standalone - Mid Volume

SecureFold 4090s

PM4

Dual Mode

Best selling solution for Mid volume users

- Friction Reverse Roller (FRR) separates double
- Inline mode supported
- High capacity lift tray
- Easy jam removal and cleaning at front
- Built-in cassette folding & sealing
- 4 speed levels [6-7-8-9k]
- Batch/Total/Counter, Auto start
- Light sensor double detection
- Jam free

Speed	9,000 sheets/hour
Form Size	A4, Letter, Legal
Tray Capacity	800 sheets
Fold Type	Z, C, V
Dimension	42cm × 60cm × 39cm
Net Weight	approx. 48kg
Optional Accessories	Slide Conveyor, Table, Inline Kit



* With Slide Conveyor & Table

Dual Mode

SecureFold 4120s

PM6

Advanced solution for Mid-high volume users

- 2 pairs of rollers for higher sealing quality
- Friction Reverse Roller (FRR) separates double
- Inline mode supported
- High capacity lift tray
- Easy jam removal and cleaning at front
- Built-in cassette folding & sealing
- 4 speed levels [6-8-10-12k]
- Manual feeding available
- Batch/Total/Counter, Auto start
- Light sensor double detection
- Jam free, fan blower

Speed	12,000 sheets/hour
Form Size	A4, Letter, Legal
Tray Capacity	800 sheets
Fold Type	Z, C, V
Dimension	42cm × 60cm × 39cm
Net Weight	approx. 60kg
Optional Accessories	Slide Conveyor, Vertical Stacker, Standing Pile & Table, Inline Kit



* With Vertical Stacker Pack

Standalone - Heavy Volume

SecureFold 4150s

Dual
Mode

Light production solution for High volume users

- 2 pairs of rollers for higher sealing quality
- SUPER Friction Reverse Roller separates double
- Inline mode supported
- High capacity lift tray
- Easy jam removal and cleaning at front
- Built-in cassette folding & sealing
- 4 speed levels (9-11-13-15k)
- Manual feeding available
- Batch/Total/Counter, Auto start
- SONIC Sensor double detection
- Jam free, built-in fan blower

Speed	15,000 sheets/hour
Form Size	A4, Letter, Legal
Tray Capacity	1,500 sheets
Fold Type	Z, C, V
Dimension	68cm × 58cm × 78cm
Net Weight	approx. 90kg
Optional Accessories	Long Conveyor (SE) & Table HCS & Table, Inline Kit



* With Long Conveyor SE & Height Adjustable Table

Dual
Mode

Remocon



* With Long Conveyor & Table

SecureFold 4170s

Production solution for High volume users

- 2 pairs of SOLID rollers for higher sealing quality
- SUPER Friction Reverse Roller separates double
- Gap adjuster, standing OP panel, remote control
- Inline mode supported
- High capacity lift tray
- Easy jam removal and cleaning
- Built-in cassette folding & sealing
- 4 speed levels (11-13-15-17k)
- Manual feeding available
- Batch/Total/Counter, Auto start
- SONIC Sensor double detection
- Jam free, built-in fan blower

Speed	17,000 sheets/hour
Form Size	A4, Letter, Legal
Tray Capacity	1,500 sheets
Fold Type	Z, C, V
Dimension	68cm × 58cm × 78cm
Net Weight	approx. 110kg
Optional Accessories	Long Conveyor (SE) & Table HCS & Table, Inline Kit

Inline - Light Volume

Mailfinisher 4000

SecureFold 3060i

Print-to-mail secure mailing solution for Low-mid volume users

- Printing to mailing at one-go
- Detachable drum cassette folding & sealing
- Folding unit slide-rail for easy maintenance
- Manual feeding available
- Counter, total counter, batch counter
- Light sensor double detection
- Jam free
- Bypass tray

Printer Speed	Up to printer
Form Size / Option*	A4, Letter, Legal*
Printer Tray Capacity	Up to printer
Fold Type	Z, C, V
Dimension	58cm x 40cm x 38cm
Net Weight	42kg
Optional Accessories	- Pro Package (Extension Stacker 350 + Slide Mount Base) - Security Package (Bypass Tray + Security Cover)

Full Color Pressure Sealer Solution



* With Epson C5290

| Recommended Printers |

Brand	Epson	Kyocera	Canon	HP
Model	C5290	P3060	LBP352	M608
Speed (ppm)	34	60	62	61
Color	4C inkjet	B/W	B/W	B/W
Tray Capacity	250/500	1000	500	550
Monthly Duty	2500	N/A	20000	25000
Duplex	0	0	0	0

MF4000



| HP M607/608 |

- Transfer Unit
- Mount Plate
- Table (Local Procurement)



| Kyocera P3060dn |

- Mount Plate
- EXT. Stacker 350



| Canon LBP 352 |

- Mount Plate
- EXT. Stacker 350

SF4090s / 4120s



| HP M607/608/609 |

- Transfer Unit
- Slide Mount Base
- User Interface & Guide
- Table (Local Procurement)



| Kyocera P3060dn |

- Mount Plate
- User Interface & Guide

Inline - Heavy Volume

Light production secure mailing solution for High volume users

- 2 pairs of rollers for higher sealing quality
- Printing to mailing at one-go
- Manual feeding available
- Counter, total counter
- Folding unit slide-rail for easy maintenance
- Detachable drum cassette folding & sealing
- SONIC Sensor double detection
- Jam free
- Bypass tray
- Printer communication

Mailfinisher 120E Neo

Printer	Kyocera TASKalfa 8002i
Printing Speed	80 ppm
Form Size / Option*	A4, Letter, Legal*
Printer Tray Capacity	4000/7000
Fold Type	Z, C, V
Dimension	126cm x 62cm x 105cm 62cm x 54cm x 105cm w/o AFS
Net Weight	approx. 180kg
Optional Accessories	Slide Conveyor, Long Conveyor (SE) HCS, Security Bypass Tray



* With HCS & Kyocera TASKalfa

Mailfinisher 120C

Printer	Epson Workforce C20590
Printing Speed	100 ppm FULL COLOR
Form Size / Option*	A4, Letter, Legal*
Printer Tray Capacity	2200/5200
Fold Type	Z, C, V
Dimension	126cm x 62cm x 105cm 62cm x 54cm x 105cm w/o AFS
Net Weight	approx. 180kg
Optional Accessories	Slide Conveyor, Long Conveyor (SE) HCS, Security Bypass Tray



* With Slide Conveyor & Epson C20590


Mailfinisher 120A Plus

Printer	KM AccurioPress 6136
Printing Speed	125 ppm
Form Size / Option*	A4, Letter, Legal*
Printer Tray Capacity	300/8000
Fold Type	Z, C, V
Dimension	159cm x 54cm x 102cm
Net Weight	approx. 180kg
Optional Accessories	Slide Conveyor, Long Conveyor (SE) HCS



* With Long Conveyor & KM bizhub/AccurioPress

Stacker Option



Slide Conveyor

SELF-SLIDING Stacking 400 sheets

Compatible Models; SF4090s, SF4120s,
MF120E Neo, MF120C, MF120A Plus
Additional Option : Standing Pole & Table



Vertical Stacker

SEQUENTIAL Stacking 500 sheets

Compatible Models; SF4120s
Additional Option : Standing Pole & Table



High Capacity Stacker

HCS 2000

VERTICAL Stacking 2,000 sheets

Compatible Models; SF4150s, SF4170s,
MF120E Neo, MF120C, MF120A Plus



Long Conveyor Simple Edition

LC50-SE

PRACTICAL Stacking 1,000 sheets

Compatible Models; SF4150s, SF4170s,
MF120E Neo, MF120C, MF120A Plus
Additional Option : Height Adjustable Post



Long Conveyor

LC50

INTELLIGENT Stacking 1,200 sheets

Compatible Models; SF4150s, SF4170s,
MF120E Neo, MF120C, MF120A Plus
Additional Option : Height Adjustable Post

Automating parcel measurements improves performance and saves resources.

Bedal is a cost-effective solution for parcel weight and dimensioning.

Designed to integrate with a range of warehouse applications and carrier shipping solutions, Bedal delivers positive results from the beginning.



Reliable and accurate.

With a Bedal in your warehouse, you can be assured that accurate weight and dimensions are being calculated and your business is protected from error and potential surcharges. Every data log captured comes with a date and time stamp, giving you complete traceability.

Bedal comes with its very own utility software called Bedal Connect. This enables easy integration into a range of applications using industry recognised formats. Bedal Connect also enables you to capture product images using its integrated camera.

Bedal is amongst the few dimensional and weight platforms that is legal for trade.

Bedal 3S Weight and Dimension platform is approved to legal standards and carries International Organization of Legal Metrology (OIML) approved certification.



Bedal can be deployed for use in various environments and market segments. Upgrade Bedal with optional enhancements, such as a mobile workstation for pick and ship applications, Optical Character Recognition (OCR) for handwritten text reading, Barcode reader for scanning, etc.

These additions further increase the usability of Bedal as an effective tool for warehouse management or on a retail counter.

parcelkiosk.com

Real time Carrier connectivity

Connect Bedal for direct access to a network of established carrier service providers




KIOSK OS

- User menu for kiosk
- Payment interface
- Printer interface
- IP Camera interface
- 2D barcode interface



CLIENT API

- Booking
- Tracking
- Order management
- Membership



CARRIERS API

- Creating shipping no
- Order process
- Tracking / Pricing



**PUDO 24h.com
Platform**

Other API



Payment gateway




Mobile verification
modules

Parcel Dimensioning Solution for shipping


Bedal series captures dimension of cuboidal and irregular objects.
Easy to connect with weighing scales in the market through USB.



Bedal 3S



Bedal 3L-85



Bedal 3L-180

Bedal and PUDO24h present a complete shipping solution.
Benefits of this consolidated solution can be experienced from the very first package.



Easy to use. Simple workflow from weight capture to label generation.



Process parcels faster. Increase efficiency by processing parcels x3 faster.



No subscriptions. No software licence or subscription lock down.



Notifications. Get shipping notifications from one location.



ROI driven purchase. Hardware pays for itself through operational savings.



Reports. Export shipping reports and access dashboards.



Accurate dimensions. Volumetric accuracy contributes to shipment related savings.



Parcel data. Use captured parcel data for warehouse, consolidation and fleet management.



Rate compare. Compare rates from different services selected by price or speed.



Reduce waste. Reduced packaging and use of actual box size helps reduce carbon footprint.



Multiple log-in. Access shipping platform from multiple locations.



RAY

FIRST & LAST MILE KIOSK

Building Lobby & Public Place Solution



Bedal Plus

ECONOMIC SELF-KIOSK

Mailroom & PUDO Shop Solution

RAY2

FIRST MILE SELF-KIOSK

LobbyShip Solution



HQ & FACTORY

91-1 Donyu 2ro, Munsan-eup, Paju-city,
Gyeonggi-do, Korea
T +82-31-977-4711 / F +82-31-977-4712
welltec@welltec.co.kr

SALES OFFICE

Room 710, DMC Tower, 189
Sungam-ro, Mapo-gu, Korea
T 02-458-6111~5 / F 02-458-6110

